

Mason (J. J.)


LEAD-POISONING IN FROGS.

BY

JOHN J. MASON, M.D.,

NEW YORK.

[REPRINTED FROM THE NEW YORK MEDICAL JOURNAL, JULY, 1877.]



NEW YORK:
D. APPLETON AND COMPANY,
549 & 551 BROADWAY.

1877.

THE

POPULAR SCIENCE MONTHLY.

SUPPLEMENT.

OCTAVO. DOUBLE COLUMNS, 96 PAGES. PRICE,
TWENTY-FIVE CENTS.

THE POPULAR SCIENCE MONTHLY was established as a means of giving better expression in this country to two important tendencies of the present age: first, the greatly-increased activity of scientific inquiry, and the enlargement of the sphere of scientific thought; and, second, the growing habit of the leading minds of all countries to contribute their choicest intellectual work for periodical publication.

These tendencies have strengthened, year by year, in so marked a degree, that the limits of the MONTHLY have proved wholly inadequate to secure the object for which it was started. So many excellent things were constantly slipping by us for want of space—so many sterling articles by the ablest men in England, France, and Germany, which our readers would prize, and have often called for—that we see no way of making our work effectual and meeting the new demands but by printing supplements to our regular issues, the second of which is herewith submitted.

We shall issue twelve supplements annually of the present form and size, price, 25 cents each, or, by subscription, \$3.00 a year, post-paid. Subscribers to THE POPULAR SCIENCE MONTHLY will get the two publications by remitting \$7.00 a year.

CONTENTS OF No. 2.

- I. MONTENEGRO. By ALFRED TENNYSON.
- II. MONTENEGRO—A SKETCH. By WILLIAM E. GLADSTONE.
- III. THE GERM-THEORY AND SPONTANEOUS GENERATION. PASTEUR—TYNDALL—BASTIAN.
- IV. NARROWING THE EXPERIMENTAL ISSUE.
- V. A MODERN "SYMPOSIUM." DR. WARD, Prof. HUXLEY, Mr. R. H. HUTTON, Sir JAMES STEPHEN. Subject: "The Influence upon Morality of a Decline in Religious Belief."
- VI. RICHARD WAGNER. By H. R. HAWEIS.
- VII. CENTRAL AFRICA AND THE BRUSSELS GEOGRAPHICAL CONGRESS. By ÉMILE DE LAVELEYE.
- VIII. THE CONTEST OF HEATHENISM WITH CHRISTIANITY, AS REFLECTED IN GREEK AND ROMAN LITERATURE. By Prof. E. ZELLER.
- IX. MENTAL PHYSIOLOGY.
- X. THE ALKALINE AND BORACIC LAKES OF CALIFORNIA. By J. ARTHUR PHILLIPS, F. G. S.
- XI. DEAF, BUT NOT DUMB. By B. ST. JOHN ACKERS.
- XII. DR. ASA GRAY ON DARWINISM.

Supplement No. 2 will be sent to any address in the United States on receipt of 25 cents.

D. APPLETON & CO., Publishers, 549 & 551 Broadway, N. Y.

LEAD-POISONING IN FROGS.

BY

JOHN J. MASON, M.D.,

NEW YORK.

[REPRINTED FROM THE NEW YORK MEDICAL JOURNAL, JULY, 1877.]

NEW YORK:

D. APPLETON AND COMPANY,

549 & 551 BROADWAY.

1877.

LEAD-POISONING IN FROGS.¹

THE influence which the absorption of lead exerts upon the system of a cold-blooded animal seems to have been commonly regarded as requiring no investigation, for I have been unable to find so much as an allusion to the subject in any of the general treatises on poisons, or in any of the numerous monographs on lead-poisoning.

This appears all the more remarkable when one considers the important services which experiments upon the frog have rendered, in discovering the mode of action of other toxic substances.

Hermann, in his "Treatise on Experimental Toxicology" (Berlin, 1874), when writing (page 24) on the choice of animals for experimentation, and naming, in order, man, warm-blooded, cold-blooded, and invertebrate animals, says:

"Among these, cold-blooded animals occupy the highest rank by reason of their availableness. The same qualities which have made the frog, after a well-known expression, the martyr of physiology, make him also the martyr of toxicology. . . . While, in warm-blooded animals, all poisons which by paralyzing the heart interrupt the circulation, or which by interference with respiration alter the proportions of gases in the blood, cause intense functional disturbance in all other organs, in the frog, the toxic effects above named have no influence on the condition of other organs, like the nervous and muscular apparatus, for example. Disturbance in

¹ Read before the American Neurological Association, June, 1877.

the muscular and nervous systems, observed in the frog after poisoning, is surely to be ascribed to the direct effect of the poison upon these organs, and not to an indirect effect through a simultaneous disturbance of the heart, the breathing-apparatus, etc. . . . Recent toxicology has therefore been perfectly right in directing its attention to the frog."

The following experiments are a few selected from a large number which I have made during the past year. The animals were carefully examined every day, and the results, as noted, are now presented to the Association, in the hope that the subject may prove a suggestive and attractive one to other observers.

I. ACUTE POISONING.—Orfila (*Éléments de Toxicologie*, 1843, tome i., p. 633), Dr. Gaspard (*Journal de Physiologie Experimentale*, 1821, tome i., p. 284), and, more recently, Dr. René Moreau (*Recherches Cliniques et Experimentales sur l'Empoisonnement aigu par le Plomb et ses Composés*, 1875), have given us the results of intra-venous injections of the salts of lead in dogs. Little effect was produced by the subcutaneous method of injection, and this failure is ascribed by Moreau to the slowness of absorption caused by the astringent action of the lead salts.

EXPERIMENT 1. *March 9, 1876, 3 P. M.*—I inject $1\frac{1}{2}$ grain of the acetate of lead under the skin (dorsal region) of a large frog (*Rana Temp.*). *6 P. M.*—The animal remains motionless when touched. When turned upon its back it regains the normal position without difficulty. *8 P. M.*—Voluntary or reflex movements can no longer be excited.

March 10th, 10 A. M.—Heart exposed, and found to be motionless, much enlarged, and filled with blood. Cardiac movements cannot be excited by pricking or by electricity. Muscles of the trunk and extremities, with their nerves, respond normally to electric irritation. This may be taken as a good example of acute poisoning by this salt.

The action of the poison in thus sparing the motor nerves of the extremities, and in being limited to the organs of respiration and circulation, will be found to correspond quite closely with the results obtained by Rouget¹ and those by Sklärek,²

¹ "Arch. de Physiologie," 1873, p. 336.

² "Arch. für Anat. u. Phys.," 1866, p. 481.

the former experimenting with the nitrate of silver, and the latter with arsenic, both employing the frog.

This experiment I have often repeated, and, although from twelve to twenty-four hours are required for the action of the poison to manifest itself, its effects are constant in this species (*Rana Temp.*).

II. CHRONIC POISONING.¹—The more gradual absorption of lead through that here important organ of respiration, the skin, is followed by symptoms which differ widely from those noted above. In 1871, E. Heubel² gave, at short intervals, small doses of the acetate of lead to eight dogs, during periods varying from two to eight weeks. Wasting and paresis of the muscles of the posterior and anterior thoracic regions and of the posterior extremities resulted, but no typical lead paralysis was observed, nor were the electrical reactions given. The above are the latest, and, as far as I can ascertain, the only published experiments, made with the object of causing the symptoms of chronic lead-intoxication in animals.

EXPERIMENT 2. *March 22, 1876.*—Four small frogs (*Rana Temp.*) are placed in a glass globe containing: water, 24 fl. oz.; acetate of lead, 1 gr.

25th.—No change observable.

28th.—Frogs lively. Solution made stronger by addition of seven grains of the lead salt.

29th.—No effect observable.

April 3d.—One frog motionless. Posterior extremities paralyzed. Anterior extremities respond to the will. All the muscles of the posterior limbs respond far better to the action of the voltaic than to that of the faradaic current. Division of the spinal cord causes no movement in the lower limbs. Direct irritation of the sciatic nerves by electricity gives rise to no muscular contraction except in the peroneal muscle of one leg, causing slight flexion of the foot. Heart normal in size and action. The faradaic current used in these

¹ I use the word "chronic" on account of the longer time which elapses before the poison affects the system, and of the constancy of the paralytic symptoms.

² "Pathogenese und Symptome der chronischen Bleivergiftung. Experimentelle Untersuchungen."

tests was from the second spiral of Du Bois-Reymond's apparatus. The voltaic current was supplied by small cells containing zinc and copper in pure water.

5th.—Two more frogs motionless. Motor nerves of lower limbs have completely lost their irritability. Muscles respond but little to direct faradization, while the voltaic current made to act on the same parts causes well-marked contractions and movements of the limbs. The hearts of both are normal, and beating rhythmically.

EXPERIMENT 3. *April 5th.*—The remaining specimen, with three others of the same species, are placed in: water, 24 fl. oz.; acetate of lead, 8 grains.

6th.—Frog from experiment 2 motionless. Reaction in nerves and muscles to electrical tests is found to be the same as that observed in the foregoing cases.

7th.—Desquamation is very active. This is a constant result, and due to the action of the solution. Microscopic examination of the cast-off membranes shows them to consist solely of a pavement epithelial layer.

10th.—Since the 7th there has been little to observe. To-day all three animals are motionless. Condition of nerves and muscles, and their electrical reactions, are found to be the same as in the previous cases. Hearts of normal size, and beating.

I have frequently noticed that some of the frogs always croaked as if in pain whenever the spine was pressed gently between the thumb and forefinger. The cries were provoked with much the same regularity as those caused by stroking the back after Goltz's experiment of separating the cerebrum from the parts below.

EXPERIMENT 4. *April 25th.*—A large bull-frog (*Rana Pipiens*) is placed in a solution: water, 48 fl. oz.; acetate of lead, 16 grains.

26th.—From being very inert, the animal shows signs of hyperæsthesia. Springs violently when touched lightly with the finger.

May 1st.—Since the 26th, moderate pressure on one side of the abdomen with the smooth end of a glass rod has caused violent jumping and loud croaking.

2d.—No signs of hyperæsthesia. When placed on the back, regains the normal position, but quite slowly.

9th.—Quantity of lead increased to 48 grains.

12th.—Frog is motionless. It cannot turn over when placed on the back. Electrical reaction of the sciatic nerves is completely lost. That of the muscles is the same as in the preceding experiments, viz.: nearly lost to faradization, but quite marked with voltaic excitation. Heart of normal size, and beating normally. In this species of frog, probably on account of their large size and toughness of the skin, much stronger solutions of lead are often required than even with large specimens of *Rana Temporaria*. In fact, I have kept one two months in a lead solution (one grain to the ounce) without being able to note any change in his condition, excepting that of active desquamation. Some of this species certainly enjoy the same immunity from the usual action of lead when injected under the skin. I kept alive and active for thirteen days a large bull-frog, which was submitted to three subcutaneous injections of four grains each of the acetate of lead, on three successive days, beginning May 4, 1877. On May 17th the animal was found motionless. The heart was paralyzed, as in Experiment 1, and distended to twice its natural size. No contractions of this organ could be induced by the usual mode of irritation. After cutting it so as to allow the blood to escape, contractions began, nearly normal in quality. This was at 2 P. M. At 9 P. M. the muscles still retained their faculty of contracting to faradaic stimulus. At the same time (May 4th) one grain of the salt was given in the same manner to a vigorous specimen of *Rana Temporaria*, and in twenty-four hours the heart was motionless.

From these exceptional cases we have only additional proof that the power of resisting the action of this poison, which is so noticeable in the systems of painters and others, all equally subjected to the same toxic influence, exists also in individuals among the lower animals.

Analysis of a sufficient number of experiments has convinced me of the truth of the following conclusions:

I. The rapid absorption of the acetate of lead soon causes

death by stoppage of the heart's action—an effect probably common to all the mineral poisons.

II. The slow absorption of this salt through the skin induces in the voluntary muscles of the frog a paralytic state, identical in its most important features with that which one sees so frequently in man.

In the acute form the motor nerves and muscles are unaffected; in the chronic form the heart is spared.

The paralysis is developed somewhat rapidly; there is no wasting of the muscles; faradization has little or no effect in inducing muscular contractions, while the voltaic current acts well in this respect;¹ cutaneous sensibility is seldom entirely lost, and before the complete development of paralysis it often seems to be increased.²

Microscopic examination of the web of the foot, which was made in a large proportion of cases, showed marked spasm of the arterioles, and dilatation of the venules, with consequent slowing of the circulation. The large veins of the extremities are generally congested, and sometimes varicose. The muscles are paler, and firmer to the touch than when in the normal condition, although there is no rigidity of the limbs.

My attention has been especially directed to the elements of the spinal cord. Comparison of sections of this portion of the nervous system, taken from frogs which have succumbed to the slow action of lead, with a large number made from the normal cord, has thus far shown no difference which is constant. In some cases the blood-vessels seem much increased in number and size, and the nerve-corpuscles of the anterior

¹ The gastrocnemius and sartorius muscles were tested often in Pflüger's myographium. Polar action of electricity is not marked as in healthy muscles. Cathode closing is no more effective than anode closing. There are no opening contractions with mild currents. Contraction is slow, the organ remaining shortened for some little time during the passage of the current. The affected muscle never reacts so powerfully to either form of current as does a healthy one.

² Frogs placed in solutions of arsenious acid, bichloride of mercury, or nitrate of silver, die almost as rapidly as they do after subcutaneous injections of these poisons. With neither of these three salts have I been able to produce the same result as that caused by the lead-bath.

horns appear to be less numerous than in the healthy condition. Nothing like structural or pigmentary degeneration has been seen. The sympathetic system has not been examined.

It is almost certain that the poison is capable of acting primarily either upon the muscular substance or upon some portion of the nervous system. If the alterations are anatomical, they ought to be found. The spinal cord of batrachians is especially adapted to such researches, as the anterior horn-cells are very large, and in the lumbar region are closely crowded together in a definite, easily-determined space. Thus far I have not been very successful with Sokolow's¹ method in finding even the normal nerve-terminations in the muscles, but there is every reason to believe that others may be more fortunate.

In fresh preparations I have as yet found no alteration of the muscular or nerve fibres.

Although the existence of Erb's "entartungs-reaction" is strong evidence of a separation of the muscles from their spinal nerve-cells, conclusive proof of this is only to be found by the discovery of that portion of the nervous system where the process of separation begins. The latest authorities favor the view that this affection is of neurotic origin, and their arguments lack nothing but anatomical support. Westphal with characteristic fairness freely admits the doubtful interpretation to be placed upon the changes observed in his case of radial paralysis, and it is certainly unfortunate, from a scientific point of view, that his researches cannot be more frequently made in man.² The close resemblance, as to symptomatology, of some cases of generalized lead-paralysis with³ "spinal paralysis of the adult," in which there is much reason for accepting the coexistence of myelitis of the anterior horns, goes far to encourage us in assuming that these portions of

¹ "Sur les transformations des terminaisons des nerfs de la grenouille après la section des nerfs." "Arch. de Physiol.," 1874, p. 300.

² C. Westphal, "Ueber eine Veränderung der Nerv. radialis bei Bleilähmung." "Arch. für Psychiatrie," etc., Bd. iv., S. 776.

³ E. C. Seguin, "Myelitis of the Anterior Horns," etc. New York, 1877.

the spinal cord are first affected by the poison in the higher animals.

May not our knowledge of the pathogeny¹ of lead-paralysis acquire a surer basis than it now possesses by further researches on lead-poisoning in frogs?

¹ "Zur Pathogenese der Bleilähmungen." Von Dr. Ernst Remak. "Arch. für Psychiatrie," etc., Berlin, 1875, Bd. vi., S. 1. This instructive paper contains numerous references to the literature of the subject.

THE POPULAR SCIENCE MONTHLY.

CONDUCTED BY

E. L. YOUMANS.

This periodical was started (in 1872) to promote the diffusion of valuable scientific knowledge, in a readable and attractive form, among all classes of the community, and has thus far met a want supplied by no other magazine in the United States.

Ten volumes have now appeared, which are filled with instructive and interesting articles and abstracts of articles, original, selected, translated, and illustrated, from the pens of the leading scientific men of different countries. Accounts of important scientific discoveries, the application of science to the practical arts, and the latest views put forth concerning natural phenomena, have been given by *savants* of the highest authority. Prominent attention has been also devoted to those various sciences which help to a better understanding of the nature of man, to the bearings of science upon the questions of society and government, to scientific education, and to the conflicts which spring from the progressive nature of scientific knowledge.

THE POPULAR SCIENCE MONTHLY has long since ceased to be an experiment. It has passed into a circulation far beyond the most sanguine hopes at first entertained, and the cordial and intelligent approval which it has everywhere met, shows that its close and instructive discussions have been well appreciated by the reading portion of the American people. It has not been its policy to make boastful promises of great things to be done in the future, but rather to appeal to what it has already accomplished as giving it a claim upon popular patronage. But no pains will be spared to improve it and make it still more worthy of liberal support, and still more a necessity to the cultivated classes of the country.

The following quotations illustrate the way it has been habitually spoken of by the press:

"That there is a place for THE POPULAR SCIENCE MONTHLY, no one can doubt who has watched the steadily increase of interest in scientific investigation manifested in this country, not only by a select class, but by the entire community."—*New York Times*.

"We think it is not too much to say that this is the best first number of any magazine ever published in America."—*New York World*.

"A journal which promises to be of eminent value to the cause of popular education in this country."—*New York Tribune*.

"It is, beyond comparison, the best attempt at journalism of the kind ever made in this country."—*Home Journal*.

"It is just what is wanted by the curious and progressive mind of this country, and ought to be widely circulated."—*New York Evening Post*.

"It is the first successful attempt in this country to popularize science in the pages of a monthly."—*N. Y. School Journal*.

"THE MONTHLY has more than fulfilled all the promises which the publishers made in the prospectus of publication."—*Niagara Falls Gazette*.

"This is a highly-auspicious beginning of a useful and much-needed enterprise in the way of publication, for which the public owe a special debt of obligation to Messrs. D. Appleton & Co."—*Boston Gazette*.

"This new magazine, in our estimation, has more merit than the whole brood which have preceded it."—*Oswego Press*.

"In our opinion, the right idea has been happily hit in the plan of this new monthly."—*Buffalo Courier*.

"This is one of the very best periodicals of its kind published in the world. Its corps of contributors comprise many of the ablest minds known to science and literature. It is doing a great and noble work in popularizing science, promoting the growth of reason, and leveling the battlements of old superstitions reared in the childhood of our race before it was capable of reasoning."—*The American Medical Journal, St. Louis, Mo.*

"This magazine is worth its weight in gold, for its service in educating the people."—*The American Journal of Education, St. Louis, Mo.*

THE POPULAR SCIENCE MONTHLY is published in a large octavo, handsomely printed on clear type, and, when the subjects admit, fully illustrated. Each number contains 125 pages.

Terms: \$5 per Annum, or Fifty Cents per Number.

POSTAGE FREE TO ALL SUBSCRIBERS IN THE UNITED STATES.

A new volume of the POPULAR SCIENCE begins with the numbers for May and November each year. Subscriptions may commence from any date. Back numbers supplied.

Now Ready Vols I., II., III., IV., V., VI., VII., VIII., IX., and X., of THE POPULAR SCIENCE MONTHLY, embracing the Numbers from 1 to 60 (May, 1872, to April, 1877). 10 vols., 8vo. Cloth, \$3.50 per vol. Half Morocco, \$6.50 per vol.

For Sale, Binding Cases for Vols. I., II., III., IV., V., VI., VII., VIII., IX., and X., of THE POPULAR SCIENCE MONTHLY. These covers are prepared expressly for binding the volumes of THE POPULAR SCIENCE MONTHLY as they appear, and will be sent to Subscribers on receipt of price. Any binder can attach the covers at a trifling expense. Price, 50 cents each.

AGENTS WANTED.

ADDRESS

D. APPLETON & CO., Publishers,
549 & 551 Broadway, New York.

APPLETONS' AMERICAN CYCLOPÆDIA.

NEW REVISED EDITION.

*Entirely rewritten by the ablest writers on every subject. Printed from new type,
and illustrated with Several Thousand Engravings and Maps.*

The work originally published under the title of *THE NEW AMERICAN CYCLOPÆDIA* was completed in 1863, since which time the wide circulation which it has attained in all parts of the United States, and the signal developments which have taken place in every branch of science, literature, and art, have induced the editors and publishers to submit it to an exact and thorough revision, and to issue a new edition entitled *THE AMERICAN CYCLOPÆDIA*.

Within the last ten years the progress of discovery in every department of knowledge has made a new work of reference an imperative want.

The movement of political affairs has kept pace with the discoveries of science, and their fruitful application to the industrial and useful arts and the convenience and refinement of social life. Great wars and consequent revolutions have occurred, involving national changes of peculiar moment. The civil war of our own country, which was at its height when the last volume of the old work appeared, has happily been ended, and a new course of commercial and industrial activity has been commenced.

Large accessions to our geographical knowledge have been made by the indefatigable explorers of Africa.

The great political revolutions of the last decade, with the natural result of the lapse of time, have brought into public view a multitude of new men, whose names are in every one's mouth, and of whose lives every one is curious to know the particulars. Great battles have been fought, and important sieges maintained, of which the details are as yet preserved only in the newspapers, or in the transient publications of the day, but which ought now to take their place in permanent and authentic history.

In preparing the present edition for the press, it has accordingly been the aim of the editors to bring down the information to the latest possible dates, and to furnish an accurate account of the most recent discoveries in science, of every fresh production in literature, and the newest inventions in the practical arts, as well as to give a succinct and original record of the progress of political and historical events.

The work has been begun after long and careful preliminary labor, and with the most ample resources for carrying it on to a successful termination.

None of the original stereotype plates have been used, but every page has been printed on new type, forming in fact a new Cyclopædia, with the same plan and compass as its predecessor, but with a far greater pecuniary expenditure, and with such improvements in its composition as have been suggested by longer experience and enlarged knowledge.

The illustrations, which are introduced for the first time in the present edition, have been added not for the sake of pictorial effect, but to give greater lucidity and force to the explanations in the text. They embrace all branches of science and of natural history, and depict the most famous and remarkable features of scenery, architecture, and art, as well as the various processes of mechanics and manufactures. Although intended for instruction rather than embellishment, no pains have been spared to insure their artistic excellence; the cost of their execution is enormous, and it is believed that they will find a welcome reception as an admirable feature of the Cyclopædia, and worthy of its high character.

This work is sold to subscribers only, payable on delivery of each volume. It is now completed in sixteen large octavo volumes, each containing over 800 pages, fully illustrated with several thousand Wood Engravings, and with numerous colored Lithographic Maps.

PRICE AND STYLE OF BINDING.

<i>In extra cloth, per vol.</i>	\$5.00	<i>In half russia, extra gilt, per vol.</i>	\$8.00
<i>In library leather, per vol.</i>	6.00	<i>In full morocco antique, gilt edges, per vol.</i>	10.00
<i>In half turkey morocco, per vol.</i>	7.00	<i>In full russia, per vol.</i>	10.00

** Specimen pages of the *AMERICAN CYCLOPÆDIA*, showing type, illustrations, etc., will be sent gratis, on application.

D. APPLETON & CO., PUBLISHERS,

549 & 551 Broadway, New York.